Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4668	((320/119,108,103,116,118,120, 121,122,125,134,136,141,162,164) or (324/433,434)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF .	2007/09/17 10:20
L6	1076	(balanc\$3 or equaliz\$5) and (SOC state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage adj level)) and ((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/17 10:20
L7	616	L6 and (converter or transformer or buck or boost or fly\$1back or buck-boost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/17 10:20
L8	171	L7 and (bi\$1directional or ((both or each) adj (direction or pathway or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/17 10:20
L9	120	(L5 or L8) and @pd>="20070401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/17 10:22
S1	151	(320/119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:41
S2	21	(("0432639") or ("0156062") or ("2080332") or ("0209223") or ("2093712") or ("0223664") or ("0863598") or ("0958634") or ("1014533") or ("1158647")).PN.	EPO; DERWENT	OR	OFF	2005/12/06 09:40
S3	16	(("2000193694") or ("2001136669") or ("2001325994") or ("2002238171") or ("2002345159") or ("200377548") or ("10084627") or ("11103534")).PN.	JPO; DERWENT	OR	OFF	2005/12/06 09:42

г			T	ı	1	T
S4	31	(("1325994") or ("2142377") or ("2238171") or ("2345159") or ("3077548") or ("5438250") or ("5656915") or ("6008623") or ("6157167") or ("6285161") or ("6278604") or ("6385161") or ("638521") or ("6359796") or ("6359796") or ("6356055") or ("6369546") or ("6441583") or ("6504344") or ("6518725") or ("20020047685") or ("20020167294") or ("20020195994") or ("20030139888")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:46
S6	213	(320/108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/06 16:38
S7	150	(320/118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/06 16:39
S8	169	(320/121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 14:05
S9	368	(320/125).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/06 16:39
S10	4237	((320/119,108,103,116,118,120, 121,122,125,134,136,141,162,164) or (324/433,434)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/08/18 16:02
S13	11	"432639"	EPO; DERWENT	OR	ON	2005/12/07 13:47
S14	4	(("5767660") or ("5821729")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:48

						,	
S15	812	(balanc\$3 or equaliz\$5) and (SOC state\$1of\$1charge or Amp-hr or Ampere-hour or (voltage adj level)) and ((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2007/09/16	23:27
S16	453	S15 and (converter or transformer or buck or boost or fly\$1back or buck-boost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/12/07	14:17
S17	106	S16 and bi\$directional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2005/12/07	14:17
S18	118	S16 and (bi\$1directional or ((both or each) adj (direction or pathway or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18	16:06
S19	226	S16 and (voltage near3 (monitor\$3 or detect\$3 or sens\$3)) and (current near3 (monitor\$3 or detect\$3 or sens\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/07	14:21
S20	97	S19 and (op\$1amp or operational\$1amplifier or comparator) and (reference near5 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/07	14:22
S21	41	S20 and (inductor or transformer) and (switch or MOSFET or FET or BJT or IGBT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/07	14:25
S22	30	S21 and capacitor and (PWM or (puls\$3 near4 (generator or modulator)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/07	14:24
S23	7	S22 and (bi\$1directional or ((both or each) adj (direction or pathway or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/07	14:25

			,	,		
S24	1	("5003244").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/09 10:14
S25	72	(("4502001") or ("4719401") or ("4949028") or ("4967136") or ("5304915") or ("5387857") or ("5498950") or ("5526215") or ("5548201") or ("5548209") or ("5631534") or ("5644209") or ("5666041") or ("5710504") or ("5717313") or ("5764027") or ("5889385") or ("5912547") or ("5920179") or ("5982144") or ("6043627") or ("6064178") or ("614835") or ("6140800") or ("622344") or ("6275004") or ("6271645") or ("6275004") or ("6310463") or ("6340880") or ("6373223") or ("6437539") or ("20050140335")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/08/18 16:01
S26	36	(("4502001") or ("4719401") or ("4949028") or ("4967136") or ("5304915") or ("5387857") or ("5498950") or ("5526215") or ("5548201") or ("5548201") or ("5644209") or ("5666041") or ("5710504") or ("5717313") or ("5764027") or ("5889385") or ("5912547") or ("5982143") or ("5982144") or ("6043627") or ("6064178") or ("6114835") or ("6140800") or ("622344") or ("6275004") or ("6271645") or ("6297619") or ("6310463") or ("6340880") or ("6373223") or ("6437539") or ("20050140335")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/18 16:01
S27		((320/119,108,103,116,118,120, 121,122,125,134,136,141,162,164) or (324/433,434)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/08/18 16:02
S28	195	S27 and @pd>="20051201".	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/17 10:20

						<u>;</u>	
S29	914	(balanc\$3 or equaliz\$5) and (SOC state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage adj level)) and ((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18 1	6:06
S30	511	S29 and (converter or transformer or buck or boost or fly\$1back or buck-boost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/08/18 1	6:0 6
S31	136	S30 and (bi\$1directional or ((both or each) adj (direction or pathway or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18 1	6:06
S32	18	S31 and @pd>="20051201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/01 1	6:58
S33	253	S30 and (voltage near3 (monitor\$3 or detect\$3 or sens\$3)) and (current near3 (monitor\$3 or detect\$3 or sens\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18 1	7:07
S34	110	S33 and (op\$1amp or operational\$1amplifier or comparator) and (reference near5 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18 1	7:07
S35	13	S34 and @pd>="20051201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/18 1	7:08
S36	4561	((320/119,108,103,116,118,120, 121,122,125,134,136,141,162,164) or (324/433,434)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/04/01 1	6:56
S37	139	S36 and @pd>="20060815"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/01 1	6:57

		EAST Scare				:	
S38	1016	(balanc\$3 or equaliz\$5) and (SOC state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage adj level)) and ((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string))	US-PGPUB; USPAT; USOCR; EPO; JPO;, DERWENT	OR	ON	2007/04/01	16:58
S39	572	S38 and (converter or transformer or buck or boost or fly\$1back or buck-boost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/01	16:58
S40	156	S39 and (bi\$1directional or ((both or each) adj (direction or pathway or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2007/04/01	16:58
S41	20	S40 and @pd>="20060815"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2007/04/01	17:26
S42		((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage adj level)) AND (battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) AND (plural or many or multiple or multitude or numerous or various or string)).clm.	US-PGPUB	OR	ON	2007/04/01	19:46
S43	47	((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage with level)) AND (battery or ((energy or electrical or cell or unit) with (storage or storing)) or accumulator) AND (plural or many or multiple or multitude or numerous or various or string)).clm.	US-PGPUB	OR	ON	2007/04/01	19:47
S44	92	((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage with level)) AND (battery or ((energy or electrical or cell or unit) with (storage or storing)) or accumulator) AND (plural or many or multiple or multitude or numerous or various or string)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/01	19:52

S45	234	((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$1of\$1charge or Amp-hr or Ampere-hour or (voltage with level)) AND (battery or (energy or electrical or cell or unit) or accumulator) AND (plural or many or multiple or multitude or numerous or various or string)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/01 19:49
S47	506 ·	((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$1of\$1charge or Amp-hr or Ampere-hour or (voltage with level)) AND (battery or ((energy or electrical or cell or unit) with (storage or storing)) or accumulator)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/01 19:53
S49	21	((balanc\$3 or equaliz\$5) AND (S\$10\$1C\$1 or state\$10f\$1charge or Amp-hr or Ampere-hour or (voltage with level)) AND (battery or (energy or electrical or cell or unit) or accumulator) AND (pulse\$1width\$1modulator or P\$1W\$1M\$1 or pulse\$1generator or (pulse with modulator))).clm.	US-PGPUB; USPAT	OR	ON	2007/04/01 19:56
S50		(US-20020167294-\$ or US-20040027092-\$ or US-20050024015-\$ or US-20030222619-\$ or US-20020109482-\$ or US-20020167291-\$).did. or (US-5982143-\$ or US-5952815-\$ or US-5631534-\$ or US-5631534-\$ or US-6801014-\$ or US-6100663-\$ or US-4331911-\$ or US-6538414-\$ or US-5726551-\$ or US-5703464-\$ or US-5767660-\$ or US-6222344-\$ or US-5656915-\$ or US-6184656-\$ or US-642693-\$ or US-6518725-\$ or US-6356055-\$ or US-6518725-\$ or US-6356055-\$ or US-5710504-\$ or US-5659237-\$ or US-5602462-\$ or US-5424936-\$ or US-5889385-\$). did. or (WO-2080332-\$ or EP-432639-\$).did. or (JP-2002238171-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR .	ON	2007/09/16 23:23
S51		S50 and (buck\$1boost or boost\$1buck or fly\$1back)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/09/16 23:27

			,			<u> </u>
S52	0	S50 and ((SOC or state\$1of\$1charge) with (impedance and current and voltage))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/09/16 23:25
S53	0	S50 and ((SOC or state\$10f\$1charge) with impedance) and ((SOC or state\$10f\$1charge) with current) and ((SOC or state\$10f\$1charge) with voltage)	US-PGPUB; USPAT; EPO; DERWENT	OR .	ON	2007/09/16 23:26
S54		S50 and ((SOC or state\$1of\$1charge) with (impedance or resistance)) and ((SOC or state\$1of\$1charge) with current) and ((SOC or state\$1of\$1charge) with voltage)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/09/16 23:26
S55	21	(balanc\$3 or equaliz\$5) and ((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string)) and ((SOC or state\$10f\$1charge) with (impedance or resistance)) and ((SOC or state\$10f\$1charge) with current) and ((SOC or state\$10f\$1charge) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/16 23:43
S56	64	((battery or ((energy or electrical or cell or unit) near3 (storage or storing)) or accumulator) near3 (plural or many or multiple or multitude or numerous or various or string)) and ((SOC or state\$10f\$1charge) with (impedance or resistance)) and ((SOC or state\$10f\$1charge) with current) and ((SOC or state\$10f\$1charge) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/16 23:43
S57	43	S56 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/16 23:44
S58	34	S57 and ("320"/\$.ccls. or "324"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2007/09/16 23:45